.1/1 - (C) FILE CAPLUS XP-002246340 - 1986:212160 CAPLUS  $-\mathbf{A}\mathbf{N}$ - 104:212160  $\cdot$ DN - Mortar composit TI - Nakayama, Fumio; Kawase, Hitoe; Toyama, Masao ΙŇ - Kikusui Kagaku Kogyo Co., Ltd., Japan PA - Jpn. Kokai Tokkyo Koho, 4 pp. SO CODEN: JKXXAF DT - Patent - Japanese LA - ICM C04B028/06 IC C04B007/32 ICS ICI - C04B028-06, C04B014-06, C04B024-24 - 58-3 (Cement, Concrete, and Related Building Materials) Section cross-reference(s): 38 FAN.CNT 1 DATE APPLICATION NO: KIND DATE PATENT NO. 19840731 <--Α 19860227 JP 1984-162514 JP61040861 PN19840731 JP 1984-162514 PR The mortar compns. consist of white cement (I), white aluminous AB cement (II) (II/I wt. ratio of 0.5-5), gypsum (III) (III/I wt. ratio of 0.3-2), polymer dispersion [(polymer component)/(I + II + III) wt. ratio of 0.1-1], colored sand (aggregates), and water. The mortar compns. prevent irregular color, significantly inhibit crack formation caused by mortar shrinkage, and are useful as a decorative floor surface of trains and ships, and as an internal or an external wall of buildings. Thus, I 25 was mixed with II 45, and III 35, then with a mixt. of poly(acrylic acid ester) dispersion [(polymer component)/(I + II + III) wt. ratio of 0.2], SiO2 sand 200 parts, and water to give a mortar compn., and a galvanized sheet was coated with the compn. 4 mm thick (as dried) The resultant board was bent at an angle 120.degree. to and cured. show no crack formation. Several drops of water were dropped on the coating, and the coating did not show appreciable change 1 day later. - shrinkage crack prevention; gypsum aluminous cement polymer mortar; ST polyacrylate dispersion mortar compn; irregular color prevention colored sand Mortar (colored, contg. polymer dispersions for shrinkage crack prevention) Sand RL: USES (Uses) (colored, in mortar, for even color) T - Floors (decorative, colored mortar for, contg. polymer dispersions for shrinkage crack prevention) - Polymers, uses and miscellaneous T RL: USES (Uses) (dispersions, in mortar, for shrinkage crack prevention) 79-10-7D, esters, polymers T RL: USES (Uses)

(dispersions, in mortar, for shrinkage crack prevention)

DOCID: <XP\_\_2246340A\_1 DO (USES)

/in mortar with nolymer dispersions for shrinkage crack

13397-24-5, uses and miscellaneous

TS (Uses)